



Entryways & Hinged Patio Doors

Smooth-Star® Fiber-Classic®







# THERMA TRU®

Smooth-Star® is the answer when the best look for the home is delivered in a sleek, paintable package.

Smooth-Star® fiberglass doors are ready-to-paint with crisp, clean contours that meet the needs of homeowners seeking more colour options for their doorways.

#### Panel doors with glass







2'8" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'10" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



2′8″ x 6′8″



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S102 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

3'6" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2′8″ x 6′8″ 2′10″ x 6′8″



S9320 2'8" x 6'8" 2′10″ x 6′8″

10" x 6'8" 12" x 6'8" 14" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8"

2'10" x 6'8" 3'0" x 6'8"

2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'6" × 6'8" 2'8" × 6'8" 2'10" × 6'8" 2'10" × 6'8" 2'10" × 8'0" 3'0" × 8'0"





14" x 6'8" 14" x 6'8" 14" x 8'0" 14" x 8'0"



\$880\$\text{S860\$\text{S8}}\$ \ \text{12" \times 6'8"} \ \ \text{14" \times 6'8"} \ \end{14" \times 6'8"} \ \text{14" \times 6'8"} \text{14" \times 6'8"} \end{14" \times 6'8"} \end{14" \times 6'8"} \text{14" \times 6'8"} \text{14" \times 6'8"} \text{14" \times 6'8"} \end{14" \times 6'8"} \end{14" \times 6'8"} \text{14" \times 6'8"} \text{14" \times 6'8"} \end{14" \times 6'8"} \end{14" \times 6'8"} \end{14" \times 6'8"} \tex



#### **Panel doors**







2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" | 2'8" x 8'0" 2'10" x 6'8" | 2'10" x 8'0" 3'0" x 6'8" | 3'0" x 8'0"



2'8" x 6'8" | 2'8" x 8'0"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



| S8600 2'8" x 6'8" | 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



2'6" x 6'8" | 2'6" x 8'0" 2'8" x 6'8" | 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" | 3'0" x 8'0"



S100 2'6" x 6'8" | 2'6" x 8'0" 2'8" x 6'8" 2'8" x 8'0" 3'0" x 6'8" | 3'0" x 8'0" 3'6" x 6'8" | 3'6" x 8'0"



#### **Transoms**
















#### **Glass cutouts**



#### Material

Available in Smooth-Star® and Fiber-Classic® wood-grain doors.



Smooth

Mahogany Oak


Available for Echo

Clear

### Glass style

**Decorative - sidelites** 

#### Privacy & Clear glass - doors & sidelites



#### Available for Ari

10





	10					
Glass		Privacy rating				
1.	Blackstone	7		7.	Saratoga	7
2.	Crystalline	7		8.	Texas Star	5
3.	Sedona	7		9.	Riserva	1
4.	Salinas	1	0	10.	Axis	7
5.	Maple Park	6		11.	Internal Blinds	Ν
6.	Avonlea	4				

## Sizes

0.200	Smo	oth	Wood-grain fiberglass			
	2′6″ x 6′8″ o	2′6″ x 8′0″o	2′6″ x 6′8″o	2′8″ x 8′0″ o		
	2′8″ x 6′8″	2'8" x 8'0"	2′8″ x 6′8″	2′10″ x 8′0″		
Doors	2′10″ x 6′8″	2′10″ x 8′0″	2′10″ x 6′8″	3′0″ x 8′0″		
	3′0″ x 6′8″	3'0" x 8'0"	3′0″ x 6′8″	3'6" x 8'0"		
	3′6″ x 6′8″	3'6" x 8'0"				
	10″ x 6′8″ ●	12" x 8'0"	10" x 6'8" •	12" x 8'0"		
Sidelites	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"		
	14" x 6'8"		14" x 6'8"			

O Available in Linea and Echo only. Available in full sidelites only.

#### Lite frame

Privacy rating


Opaque



Scrolled profile

#### Configurations










Built directly into the door, flush-glazed glass offers a seamless and beautiful appearance with up to 16% more glass.



#### Flush-glazed Smooth-Star®



2'6" x 6'8" | 2'6" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"

2'8" x 6'8" 3'0" x 6'8"





## 1<sup>1</sup>/<sub>8</sub>" simulated divided lites

Coordinate with the home's window patterns for a cohesive look and increased curb appeal.



#### **Privacy & clear glass options**

Bring functionality and aesthetics together with the benefits of flush-glazed construction.

Chinchilla	Chord	Satin etch	Rainglass	Granite	Clear / Low E
10	10	10	8	10	1
Opaque			Clear		
10			1		

#### **Triple pane construction**

Privacy and textured glass features triple pane construction for added energy efficiency and a smooth easy-to-clean surface.



#### 3 ½" simulated divided lites

Looking to make a modern statement?

Create windows with custom personality that will perfectly suit your home. Durabuilt's simulated divided lites add intricacy and sophistication to your space, inside and out.









#### Shaker style doors and sidelites

A transitional update to the historic shaker style, new Smooth-Star® Shaker style doors and sidelites feature flush-glazed glass and recessed panels delivering a simple design with broad appeal. Ideal for homes that take design cues from Farmhouse, Prairie and Modern architectural elements, Shaker style doors and sidelites bridge the gap between yesterday's styles and today's trends.





#### **Privacy & clear glass options**

Bring functionality and aesthetics together with the benefits of flush-glazed construction.






#### 11/8" simulated divided lites

Flat profile complements the design of Shaker style doors and sidelites, and coordinates with window grid patterns on the home.











The precision and unmatched performance of a fiberglass door combined with a deep mahogany grain creates a door as beautiful as it is durable. The rich tones make our Fiber-Classic® Mahogany collection ideal for matching homes with classic wood tones.









With the warm look and feel of authentic oak grain, our Fiber-Classic®
Oak collection is ideal for matching traditional architecture - bringing a sense of sophistication to your home while providing excellent performance and value.



#### Mahogany

#### **Panel doors**



2′10″ x 6′8″



2′8″ x 6′8″ 2′10" x 6′8"



2′10″ x 6′8″



2′10″ x 6′8″



2′10″ x 6′8″



I FCM860 2'8" x 6'8" | 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3′0″ x 6′8″ | 3′0″ x 8′0″



FCM1000 2'6" x 6'8" 2'6" x 8'0" 2'8" x 6'8" | 2'8" x 8'0" 2'10" x 6'8" | 2'10" x 8'0" 3'0" x 6'8" | 3'0" x 8'0"

#### Panel doors with glass



1283\*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 6'8"

FCM32
2'8" x 8'0" 2'2" x 6'8"
2'10" x 8'0" 2'10" x 6'8"
3'0" x 8'0" 3'0" x 6'8"





FCM862 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0"



2'8" x 6'8" 2′10″ x 6′8″



2′8″ x 6′8″

2′10″ x 6′8″



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8"



2'8" x 6'8" 2'10" x 6'8"



FCM132 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM861 2'8" x 6'8" | 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0"



FCM708 FCM8708 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3′0″ x 6′8″ 3′0″ x 8′0″



FCM701SL 12" x 6'8"

FCM32SL FCM881SL

FCM62SL FCM862SL

14" x 6'8" 12" x 6'8" 12" x 6'8" 10" x 6'8" 14" x 6'8" 14" x 6'8" 12" x 6'8"

10" x 6'8" 12" x 6'8" 14" x 6'8" 12" x 8'0" 12" x 8'0" 14" x 6'8" 14" x 8'0" 14" x 8'0" 12" x 8'0" 14" x 8'0" 12" x 8'0" 14" x 8'0'

#### Transoms







14" Sidelite only

## **Configurations**



## Oak

#### **Panel doors**



## 2′10″ x 6′8″





1283\*
2'6" × 6'8"
2'8" × 6'8"
2'10" × 6'8"
2'10" × 6'8"
2'10" × 6'8"
2'10" × 6'8"
3'0" × 6'8"
3'0" × 8'0"
3'0" × 8'0"
3'0" × 8'0"
3'0" × 8'0"
3'0" × 8'0"





2'8" x 8'0"

2'10" x 8'0"



2′8″ x 6′8″

2′10″ x 6′8″

FC80920

2′8″ x 6′8″

2′10″ x 6′8″



2′10″ x 6′8″

2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'10" x 8'0"



2′8″ x 6′8″

2'10" x 6'8" 3'0" x 6'8"

2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8"



3'0" x 6'8"



3'0" x 6'8" 3'0" x 8'0"

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

1000

2'6" x 6'8" | 2'8" x 8'0" | 2'6" x 6'8" | 2'6" x 8'0"

2'8" x 6'8" 2'10" x 8'0" 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 2'10" x 6'8" 2'10" x 8'0"





FC789 2′8″ x 6′8″ 2′10″ x 6′8″



2'8" x 6'8" 2′10″ x 6′8″



2′8″ x 6′8″ 2′10″ x 6′8″

FC47SL 81200PSL

10" x 6'8" 12" x 6'8" 14" x 6'8"

12" x 8'0"

Full glass 10" x 6'8"

12" x 6'8" 14" x 6'8"



FC86220 2'8" x 8'0" 2′10″ x 8′0″



2'8" x 6'8" | 2'8" x 8'0" | 2'6" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 2'8" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 2'10" x 6'8"





2'6" x 6'8" 2'8" x 8'0" 2'8" x 6'8" | 2'10" x 8'0" 2'10" x 6'8" | 3'0" x 8'0"







\* includes stile lines

FC701SL FC32SL FC48SL 12" x 6'8" 81943PSL 81929PSL 14" x 6'8" 12" x 6'8" 12" x 6'8" 14" x 6'8" 14" x 6'8" 12" x 8'0" 12" x 8'0" 12" x 8'0"

<sup>\*</sup> includes stile lines



#### **Decorative glass**







Privacy rating





Saraioga





ning

Black nickel caming



on


















## Privacy glass

#### Therma-Tru door & sidelite inserts






Satin etch

Granite 10

# Durabuilt door inserts, sidelite inserts, full glass sidelites and transoms Seamlessly pair with our windows.

Rainglass





#### Privacy rating











#### **Customize your view**

Choose a clear sightline, add elegance with divided lites, or control light and privacy with internal blinds.

#### Flush-glazed doors

Let in more natural light with flush-glazed doors. Factory-built seamless construction allows up to 16% more visible glass by eliminating the need for a lite frame and screw plugs.



#### Glass cutouts



## Configurations



# Grilles between glass Internal blinds, and Screen vented

Design what's right for your home with a variety of styles, privacy fittings, and airflow options.

#### Internal blinds Smooth-Star® S132 S6055 2'6" x 6'8" 2'6" x 8'0" 2'6" x 6'8" 2'6" x 8'0" 2'8" x 6'8" | 2'8" x 8'0" 2'8" x 6'8" 2'6" x 6'8" | 2'8" x 8'0" | 2'6" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 2'8" x 6'8" | 2'8" x 8'0" 2'8" x 6'8" | 2'8" x 8'0" 2'10" x 6'8" | 2'10" x 8'0" | 2'10" x 6'8" 2'8" x 6'8" | 2'10" x 8'0" | 2'8" x 6'8" 2′8″ x 6′8″ 2'10" x 6'8" 2'10" x 8'0" 2'10" x 6'8" | 2'10" x 8'0" 3'0" x 6'8" | 3'0" x 8'0" 3'0" x 6'8" 2'10" x 6'8" 3'0" x 8'0" 2′10″ x 6′8″ 2'10" x 6'8' 3'0" x 6'8" 3'0" x 8'0" 3'0" x 6'8" 3'0" x 8'0" 3'6" x 6'8" 3'6" x 8'0" Privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control privacy and light.

12" x 6'8" 14" x 6'8" 14" x 6'8" 14" x 6'8"

12" x 8'0" 12" x 8'0" 12" x 8'0" 12" x 8'0"

#### Grilles between glass

Available widths include 5/16", 5/8", and 1".

#### Colours





Pewter








Commercial brown

Commercial brown and black are available in a split finish white interior in 5/8", and 1" widths.



#### Internal blinds portfolio


2'8" x 6'8"

2′10″ x 6′8″

2'8" x 6'8" 2'8" x 8'0"

2'10" x 6'8" 2'10" x 8'0"





2'6" x 8'0"

2'8" x 8'0"

		22" x 64"	22" x 47"	22" x 36"	7" x 64"	8" x 47"	8" x 36"
	Smooth-Star®	0	0	0	0	0	0
3′0″	Fiber-Classic® Mahogany	0		0	0	0	0
	Fiber-Classic® Oak	0	0	0	0	0	0






Smooth

Mahogany Oak

#### Screen vented Smooth-Star®



S137







2'6" x 6'8"



2'6" x 6'8"

Built-in screen for ventilation featuring a gliding operation and sash locking system.



#### Door frame, clad, and brickmould

#### Door frame and brickmould

Wood frames provide the greatest design flexibility with a one-piece custom jamb allowance up to 10". Composite frames available in 4 ½" and 6 ½" jamb sizes.





#### Aluminum brickmould and door frame clad



#### Vinyl brickmould and door frame clad



#### Door sill



Inswing composite adjustable sill featured. Outswing option available.







#### Adjustable strikeplate and hinges











nickel



bronze

Springloaded (selfclosing)







bronze

**Entryway handlesets** 

#### **Multi-point locking system**

Grip style









#### Clavos and strap hinges

















Heirloom

Lever style

Grip style



Available finishes







Black nickel

**Dentil shelves** 

Complete the look with a dentil shelf for a true Craftsman appeal









# A complete door system

A complete door system is more than just beautiful doors and glass – it includes all the components needed to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru genuine components shown here are our standard Fiber-Classic® and Smooth-Star® options for long-lasting durability.



## Composite adjustable sills\*

Resist rotting and insects, and adjust to help maintain a tight seal over time.



## Multi-point locking system

Increased engagement at three critical points from top to bottom for enhanced stability and security. Recommended for double door configurations.



## Dual-bulb / dual-fin bottom sweeps\*

Help maintain tight contact with adjustable sill caps and create added barriers against moisture.



#### **Ball-bearing hinges**

Protect each hinge pivot, or "knuckle" offering added support and stability to your Fiber-Classic® and Smooth-Star® door.



#### Corner seal pads\*

Create an air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



## Rot resistant frame components

Complete your door system with smooth and wood-grain composite or wood jamb, brickmould, mullions and aluminum clad options manufactured and tested to our climate.



## Long reach weatherstrip


Compresses when the door is closed and springs back when it is open for long-lasting sealing power.



Therma-Tru entryways by Durabuilt Windows & Doors meet current North American Fenestration Standard (NAFS) requirements.

Ask your Sales Consultant for product performance information.

 $<sup>^{\</sup>star}$  Inswing configuration and components featured. Outswing option available



# Create the authentic look of real wood in a few simple steps

Developed exclusively for Therma-Tru fiberglass, Same-Day Stain is the ideal finishing system for Classic-Craft® and Fiber-Classic® entryways. It comes in seven stain options that allow you to achieve the perfect look for your new entryway.

It's easy to achieve professional-looking results with this easy-to-use, quick-drying formula that's specially created for Therma-Tru fiberglass doors. The kit conveniently contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.

Colourfast stain resists fading, bleaching, and yellowing, and creates a beautiful, natural finish. Finish colours can be applied in a variety of shades to complement multiple different home styles.

Step 1: Clean door



Step 2: Apply stain



Step 3: Seal with top coat



#### Stain

Fiber-Classic® Mahogany




English walnut

#### Fiber-Classic® Oak

Walnut

Cedar





Thank you for taking the time to explore Durabuilt.

Our approach to windows is simple. We believe in innovation, operational excellence, and creating consumer connections. We understand that a home is more than just walls and windows; it's a place where memories are made, children grow, and worlds are shaped. That's why whether it's a renovation project or you're building a new home, we are committed to creating and providing the best solutions for you.

all about you.